WHITEBOARD CLEANER

Page: 1

Compilation date: 06.04.2017

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: WHITEBOARD CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Cleaning agent / Cleaner

1.3. Details of the supplier of the safety data sheet

Company name: ECS AG

Roosstrasse 53

CH-8832 Wollerau

Switzerland

Tel: +41 (0)44 / 787 53 56

Email: gunnar.kleinmann@ecsag.com

1.4. Emergency telephone number

Emergency tel: Germany: Intoxications Information Center; +49 761 19240 Switzerland: Swiss Toxicological Information Centre; +41 44 251 51 51 Austria: Intoxication information center; +43 1 406 43 43

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Flam. Liq. 3: H226

Most important adverse effects: Causes serious eye irritation. Flammable liquid and vapour.

2.2. Label elements

Label elements:	
Hazard statements:	H319: Causes serious eye irritation.
	H226: Flammable liquid and vapour.
Hazard pictograms:	GHS07: Exclamation mark

GHS02: Flame



Signal words: Warning

Precautionary statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P233: Keep container tightly closed.

P240: Ground/Bond container and receiving equipment.

WHITEBOARD CLEANER

P241: Use explosion-proof electrical equipment.
P242: Use only non-sparking tools.
P243: Take precautionary measures against static discharge.
P264: Wash hands thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water/shower.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313: If eye irritation persists: Get medical attention.
P370+378: In case of fire: Use foam, carbon dioxide, dry power or water fog to extinguish.
P403+235: Store in a well-ventilated place. Keep cool.
P501: Dispose of contents/container to accordance with national regulations.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ETHANOL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-578-6	64-17-5	Substance with a Community workplace exposure limit.	Flam. Liq. 2: H225	5-10%

PROPAN-2-OL

200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	1-5%
			STOT SE 3: H336	

2-BUTOXYETHANOL

203-905-0	111-76-2	-	Acute Tox. 4: H332; Acute Tox. 4:	1-5%
			H312; Acute Tox. 4: H302; Eye Irrit. 2:	
			H319; Skin Irrit. 2: H315	

Section 4: First aid measures

4.1. Description of first aid measures	
--	--

Skin contact:	Rinse with water
Eye contact:	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide
	apart. Get medical attention if any discomfort continues.
Ingestion:	Wash out mouth with water. Get medical advice/attention if you feel unwell. Do not
	induce vomiting unless under the direction of medical personnel.

WHITEBOARD CLEANER

Inhalation:	Move affected person to fresh air and keep warm and at rest in a position comfortable for
	breathing. Loosen tight clothing such as collar, tie or belt get medical attention if
	symptoms are severe or persist.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Redness. Irritating to skin.

Eye contact: Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.

Ingestion: May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.

Inhalation: A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media:	Suitable extinguishing media: The product is flammable. Extinguish with alcohol-
	resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media
	suitable for the surrounding fire. Unsuitable extinguishing media: Do not use water jet
	as an extinguidher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Containers can burst violently or explode when heated, due to excessive pressure build -up. Flammable liquid and vapour. Vapour may be ignited by a spark, a hot surface or an ember. Vapours can form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapour.

5.3. Advice for fire-fighters

Advice for fire-fighters: Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or

WHITEBOARD CLEANER

walk into spilled material. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated.

6.2. Environmental precautions

Environmental precautions: Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Large Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep conta Avoid the formation of mists. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not handle broken packages

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store away from incompatible materials (see Section 10). Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers Storage class: Flammable liquid storage

WHITEBOARD CLEANER

7.3. Specific end use(s)

Specific end use(s): The identified uses for this product are detailed in Section 1.2.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ETHANOL

Workplace exposure limits:		F	lespirable dust	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1920 mg/m3	-	-	-
PROPAN-2-OL				
UK	999 mg/m3	1250 mg/m3	-	-
2-BUTOXYETH	ANOL			
UK	25 ppm	50 ppm	-	-
NEL/PNEC Valu	es DNEL / PNEC No data ava	ailable.		
2. Exposure cor	ntrols			
Engineerin	ig measures: Provide ade	equate ventilation. Observe a	ny occupational exposure lim	its for the product
or ingredients.				
Respirator	y protection: Ensure all r	espiratory protective equipme	ent is suitable for its intended	l use and is ?CE?
	-marked. C	heck that the respirator fits tig	ghtly and the filter is changed	regularly. Gas and

Engineering measures:	Provide adequate ventilation. Observe any occupational exposure limits for the product
	or ingredients.
Respiratory protection:	Ensure all respiratory protective equipment is suitable for its intended use and is ?CE?
	-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and
	combination filter cartridges should comply with European Standard EN14387 Full face
	mask respirators with replaceable filter cartridges should comply with European
	Standard EN136. Half mask and quarter mask respirators with replaceable filter
	cartridges should comply with European Standard EN140.
Hand protection:	No specific hand protection recommended.
Eye protection:	Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a
	full- face respirator may be required instead.
Skin protection:	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Environmental:	Keep container tightly sealed when not in use.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Odour: Characteristic odour

Evaporation rate: No data available.

Viscosity: No data available.

WHITEBOARD CLEANER

Boiling point/range℃:	No data available.	Melting point/range℃:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point℃:	49°C CC (Closed cup)	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	No data available.	pH:	No data available.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: See the other subsections of this section for further details.

10.2. Chemical stability

Chemical stability: Stable at normal ambient temperatures and when used as recommended. Stable under

the

prescribed storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: The following materials may react strongly with the product: Oxidising agents.

10.4. Conditions to avoid

Conditions to avoid: Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented.

10.5. Incompatible materials

Materials to avoid: Oxidising materials. Acids - oxidising.

10.6. Hazardous decomposition products

Haz. decomp. products: Does not decompose when used and stored as recommended. Thermal

decomposition or combustion products may include the following substances: Harmful

gases or vapours.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ETHANOL

IVN	RAT	LD50	1440	mg/kg	
ORL	MUS	LD50	3450	mg/kg	

WHITEBOARD CLEANER

ORL	RAT	LD50	7060	mg/kg

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

2-BUTOXYETHANOL

IVN	RAT	LD50	307	mg/kg
ORL	MUS	LD50	1230	mg/kg
ORL	RAT	LD50	470	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Excluded hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	-	No hazard: calculated
Acute toxicity (ac. tox. 3)	-	No hazard: calculated
Acute toxicity (ac. tox. 2)	-	No hazard: calculated
Acute toxicity (ac. tox. 1)	-	No hazard: calculated
Skin corrosion/irritation	-	No hazard: calculated
Respiratory/skin sensitisation	-	No hazard: calculated
Germ cell mutagenicity	-	No hazard: calculated
Carcinogenicity	-	No hazard: calculated
Reproductive toxicity	-	No hazard: calculated
STOT-single exposure	-	No hazard: calculated
STOT-repeated exposure	-	No hazard: calculated
Aspiration hazard	-	No hazard: calculated

Symptoms / routes of exposure

Skin contact:	Redness. Irritating to skin.
Eye contact:	Causes serious eye damage. Symptoms following overexposure may include the
	following: Pain. Profuse watering of the eyes. Redness.
Ingestion:	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.
Inhalation:	A single exposure may cause the following adverse effects: Irritation of nose, throat and
	airway. Difficulty in breathing. Coughing.
Other information:	The severity of the symptoms described will vary dependent on the concentration and
	the length of exposure.

WHITEBOARD CLEANER

Page: 8

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: The degradability of the product is not known.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designat

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1170

14.2. UN proper shipping name

Shipping name: ETHANOL

(ETHANOL)

14.3. Transport hazard class(es)

Transport class: 3 (F1)

14.4. Packing group

Packing group: |||

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

WHITEBOARD CLEANER

Special precautions:	F-E, S-D
Tunnel code:	D/E
Transport category:	3
IMDG seg. group:	III
tion 15: Regulatory information	ation
5.1. Safety, health and enviror	nmental regulations/legislation specific for the substance or mixture
Specific regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
	December 2006 concerning the Registration, Evaluation, Authorisation and Restriction
	of Chemicals (REACH) (as amended).
	Commission Regulation (EU) No 2015/830 of 28 May 2015
5.2. Chemical Safety Assessn	nent
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture
	by the supplier.
tion 16: Other information	
Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H225: Highly flammable liquid and vapour.
	H226: Flammable liquid and vapour.
	H302: Harmful if swallowed.
	H312: Harmful in contact with skin.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
	H336: May cause drowsiness or dizziness.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any